

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification: A01M	A2	(11) International Publication Number: WO 97/35470 (43) International Publication Date: 2 October 1997 (02.10.97)
(21) International Application Number: PCT/GB97/00800 (22) International Filing Date: 21 March 1997 (21.03.97) (30) Priority Data: 9606483.7 27 March 1996 (27.03.96) GB (71) Applicant (for all designated States except US): DELMAR PRODUCTS LTD. [GB/GB]; 41 Trinity Road, Southend-on-Sea, Essex SS2 4HL (GB). (72) Inventor; and (75) Inventor/Applicant (for US only): HENSHAW, Joseph, Howard [US/GB]; 41 Trinity Road, Southend-on-Sea, Essex SS2 4HL (GB). (74) Agent: DOBLE, Richard, G., V.; 212 Radnor House, 93-97 Regent Street, London W1R 7TD (GB).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i>
(54) Title: RODENTICIDE (57) Abstract The invention provides a rodenticide comprising cellulosic material which is non-toxic to humans but which causes rodents to excrete body fat and/or adipose tissue. Suitable material is obtainable from the core of the cob of maize hybrid DK 446, a hybrid characterised by normally growing to a height of 2.7 to 3.3 metres (9 to 11 feet) and by normally having a single giant ear of corn. The cellulosic material is mixed with a bait attractant such as sugar beet or unrefined molasses and formed into pellets. The rodenticide is non-toxic when fed at controlled dosage levels (e.g. up to 15 g/kg per day) but toxic when the rats are allowed free access. Maize hybrids DK 401, DK 442, DK 512, DK 560, DK 588, DK 591, DK 604, DK 628, DK 634 and DK 512wx may also be used instead of hybrid DK 446.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Rodenticide

The present invention relates to rodenticides.

5

It has unexpectedly been discovered that the cellulosic material obtainable from the core of the cob of a certain hybrid of maize (*Zea mays*, known as corn in the USA) is toxic to rodents but not to humans.

10

This hybrid is known as DK 446 and is obtainable from Dekalb Plant Genetics (3100 Sycamore Rd, DeKalb, IL 60115 USA). It normally grows to a height of 2.7 to 3.3 metres (9 to 11 feet) and normally has a single giant ear of corn. It is commonly grown for use as cattle feed.

15

Accordingly in one aspect the invention provides a rodenticide comprising rodenticidal material obtainable from the core of the cob of maize hybrid DK 446.

20

The cellulosic material obtained from the core of the cob of the above hybrid has been analysed and has been found to consist of essentially pure α cellulose, which is the naturally occurring form of cellulose. α cellulose is generally recognised as a safe food additive with essentially no toxicity to humans and domestic animals.

25

Without wishing to be bound by theory, it is believed that rats and mice lose body fat and adipose tissue by excretion in the faeces and urine after eating the above cellulosic material, and eventually starve to death.

30

Accordingly, in another aspect the invention provides a rodenticide comprising cellulosic material which is non-toxic to humans but which causes rodents to excrete body fat and/or adipose tissue.

35

It is believed that the different effects on rodents and humans may be due to their different digestive systems, but the precise mode of action of the above rodenticidal material is currently unknown.

40

Other hybrids similar to the above DK 446 hybrid (especially maize hybrids characterised by normally growing to a height of 2.7 to 3.3 metres (9 to 11 feet) and

by normally having a single giant ear of corn) are envisaged to be useful sources of identical or similar cellulosic rodenticidal material which is also usable in rodenticides in accordance with the invention. Furthermore hybrids DK 401, DK 442, DK 512, DK 560, DK 588, DK 591, DK 604, DK 628, DK 634 and DK 512wx, all obtainable from Dekalb Plant Genetics, are envisaged to be useful sources of identical or similar rodenticidal material.

Preferably the rodenticide of the present invention incorporates or is associated with a bait attractant such as a sweet material, eg ground sugar beets or unrefined ("black strap") molasses, although any conventional bait attractant can be employed.

The cellulosic material can be obtained by tumbling the cob of a hybrid of the above DK 446 hybrid (although it is envisaged that similar hybrids eg hybrids DK 401, DK 442, DK 512, DK 560, DK 588, DK 591, DK 604, DK 628, DK 634 and DK 512wx are also useful) to remove the reddish-brown outer layer, separating the outer layer material from the white hard core material of the cobs, and crushing the white core material, eg to the consistency of sawdust. The resulting powdered white hard core material is then preferably mixed with the bait attractant (eg unrefined molasses or ground dehydrated sugar beets). Preferably the bait attractant comprises 0.3% to 5%, more preferably 1% by weight of the mixture. The mixture is then preferably extruded eg at 30 to 1,000MPa, preferably 324 MPa (47,000 psi) and the extrudate (which is eg of circular cross-section, with a diameter of eg 4 to 12mm, preferably 10mm diameter) can then be cut into pellets with a length of eg 10 to 30mm, preferably 25mm.

The above method of preparation can be varied however. For example the bait attractant could be coated on the extrudate or pellets instead of or in addition to being incorporated in the mixture before extrusion. Accordingly the invention also encompasses any rodenticide comprising cellulosic material (preferably the white hard core material) obtainable from the cob of any of the above hybrids (preferably DK446, but possibly one or more of hybrids DK 401, DK 442, DK 512, DK 560, DK 588, DK 591, DK 604, DK 628, DK 634 and DK 512wx as well as any maize hybrids characterised by normally growing to a height of 2.7 to 3.3 metres (9 to 11 feet) and by normally having a single giant ear of corn).

In another aspect the invention provides a method of alleviating rodent infestation

3

(particularly infestation by rats and mice), the method comprising depositing in the region of infestation a rodenticide comprising cellulosic material (preferably the white hard core material) obtainable from the cob of any of the above hybrids (preferably DK446, but possibly one or more of hybrids DK 401, DK 442, DK 512, DK 560, DK 588, DK 591, DK 604, DK 628, DK 634 and DK 512wx as well as any maize hybrids characterised by normally growing to a height of 2.7 to 3.3 metres (9 to 11 feet) and by normally having a single giant ear of corn).

The invention also provides a method of making a rodenticide comprising the step of bringing into association a) a bait attractant and b) cellulosic material (preferably the white hard core material) obtainable from the cob of any of the above hybrids (preferably DK446, but possibly one or more of hybrids DK 401, DK 442, DK 512, DK 560, DK 588, DK 591, DK 604, DK 628, DK 634 and DK 512wx as well as any maize hybrids characterised by normally growing to a height of 2.7 to 3.3 metres (9 to 11 feet) and by normally having a single giant ear of corn).

The non-toxic nature of the rodenticide of the invention has in fact been proved in the following study involving the controlled administration of predetermined amounts of the rodenticide to rats:

Toxicity study

TEST ANIMALS: Sprague Dawley derived Rattus norvegicus

NUMBER AND SEX (in each group): 5 Male & 5 Female (females nulliparous and non-pregnant)

NUMBER OF GROUPS FOR LD₅₀: 2

WEIGHT RANGE (at initiation) Male : 200-300 grams
Female: 200-300 grams

DIET: Standard laboratory feed for rodents; food and water were available *ad libitum*.

TEST MATERIAL AND DOSE LEVEL FOR LD₅₀: finely ground white hard core cellulosic material, obtained from Dekalb maize hybrid DK 446, mixed with 1% by weight "black strap" molasses, the mixture being mixed with Tween 80®

at a 1:2 (w:v) concentration in a dose level of 5g/kg and 15.1g/kg for the respective groups.

FREQUENCY AND ROUTE OF ADMINISTRATION: Once every 24 hours for the 5g/kg dose level; at the 15.1g/kg dose level each animal was given a portion of its dose at two dosing points within approximately four hours. The doses were administered orally by syringe and suitable intubation tube.

STUDY PERIOD: 14 days

RESULTS

There were no mortalities in the 5g/kg dose level group. In the 15.1g/kg dose level group the animals that died immediately after dosing due to misdosing or anomaly from dosing were replaced. No mortality of surviving animals or replaced animals occurred during the study period.

All surviving animals in all dose groups had a weight gain by day 14, as exemplified in Table I below:

TABLE I

Dose group: 15.1g/kg

Rat	Sex	Initial Wt (g)	Final Wt (g)	%change in Wt
1	F	234	278	+44
2	F	224	264	+40
3	F	227	266	+39
4	F	224	260	+36
5	F	225	266	+41
6	M	246	351	+105
7	M	250	354	+104
8	M	267	382	+115
9	M	270	384	+114
10	M	230	356	+126

There were no clinical abnormalities in the 5.0g/kg group. clinical observations in the 15.1g/kg group included rales, lethargy, diarrhoea and anogenital staining.

CONCLUSION

- 5 The material did not produce compound-related mortality in half or more of the animals, even at a dose level of 15.1g/kg, and can therefore be considered practically non-toxic.

Efficacy Study

10

TEST ANIMALS: Sprague Dawley derived *Rattus norvegicus*

NUMBER AND SEX (in each group): 5 Male & 5 Female (females nulliparous and non-pregnant)

15

NUMBER OF GROUPS: 1

WEIGHT RANGE (at initiation) Male : 115-125 grams

20

Female: 115-125 grams

DIET: Standard laboratory feed for rodents; food and water were available *ad libitum*.

25

TEST MATERIAL: Pellets obtained by extrusion of the finely ground white hard core cellulosic material from the hybrid used in the above toxicity study, mixed before extrusion with 1% by weight "black strap" molasses.

30

FREQUENCY AND ROUTE OF ADMINISTRATION: The test material was placed in 113g (4 ounce) clear glass feeding jars for continuous *ad libitum* access to the food. Additional material was added daily and an equal quantity was given to each animal.

35

STUDY PERIOD: 14 days

RESULTS

40

All animals died by day 7. On day 4, one female was found dead. On day 5, two

6

males were found dead and one female was found dead. On day 6, two males and two females were found dead. On day 7, one male and one female were found dead.

5 Clinical observations included dehydration, lethargy, diarrhoea, tremors, weight loss, hunching and soft light stool.

All animals had a daily weight loss, as illustrated in Table II below:

10

TABLE II

Body weight data (g)

	Rat	Sex	DAY 0	DAY 3	DAY 7
	1	F	119	93	(found dead on day 6)
15	2	F	120	91	(found dead on day 5)
	3	F	117	84	(found dead on day 4)
	4	F	122	96	(found dead on day 7)
	5	F	119	96	(found dead on day 6)
	6	M	120	99	(found dead on day 6)
20	7	M	121	91	(found dead on day 5)
	8	M	123	94	(found dead on day 5)
	9	M	123	101	(found dead on day 6)
	10	M	119	97	(found dead on day 7).

25 It is clear that when administered in a manner enabling free access, the test material has a powerful rodenticidal effect.

30 The invention also extends to a rodenticide comprising any material (particularly but not necessarily any material which is non-toxic at a controlled dosage level of up to 15g/kg per day) which is an agonist in rodents of that cellulosic white core material obtained from the DK 446 hybrid which is rodenticidal when administered in a manner enabling free access to rodents.

35 The invention extends to rodenticides comprising any of the cellulosic rodenticidal materials identified above, whether synthetic or obtained from natural sources.

The bait attractant may optionally comprise crushed whole wheat and/or crushed oats as an alternative to or in addition to the other bait attractants referred to above.

Claims

1. A rodenticide comprising cellulosic material which is non-toxic to humans but which causes rodents to excrete body fat and/or adipose tissue.
- 5 2. A rodenticide comprising rodenticidal material obtainable from the core of the cob of maize hybrid DK 446.
- 10 3. A rodenticide comprising rodenticidal material obtainable from the core of the cob of a maize hybrid characterised by normally growing to a height of 2.7 to 3.3 metres (9 to 11 feet) and by normally having a single giant ear of corn.
- 15 4. A rodenticide according to claim 3 wherein said hybrid is DK 401, DK 442, DK 512, DK 560, DK 588, DK 591, DK 604, DK 628, DK 634 or DK 512wx.
- 20 5. A rodenticide according to any preceding claim which incorporates or is associated with a sweet material which acts as a bait attractant.
- 25 6. A rodenticide according to claim 5 wherein said sweet material is ground sugar beets or unrefined molasses.
- 30 7. A rodenticide comprising any material which is an agonist in rodents of that cellulosic white core material obtained from the DK 446 hybrid which is rodenticidal when administered in a manner enabling free access to rodents.
- 35 8. A rodenticide according to claim 7 wherein said material is non-toxic at a controlled dosage level of up to 15g/kg per day
- 40 9. A method of alleviating rodent infestation, the method comprising depositing in the region of infestation a rodenticide comprising cellulosic material obtainable from the cob of maize hybrid DK 446 or from the cob of any of the maize hybrids DK 401, DK 442, DK 512, DK 560, DK 588, DK 591, DK 604, DK 628, DK 634 and DK 512wx.
10. A method according to claim 9 wherein said cellulosic material is white hard

8

core cellulosic material.

11. A method according to claim 9 or claim 10 wherein said rodenticide incorporates or is associated with a sweet material acting as a bait attractant.

5 12. A method of making a rodenticide comprising the step of bringing into association a) a bait attractant and b) cellulosic material obtainable from the cob of any of the hybrids specified in claim 9 or from the cob of any maize hybrid characterised by normally growing to a height of 2.7 to 3.3 metres (9 to 11 feet)
10 and by normally having a single giant ear of corn.

13. A method as claimed in claim 12 wherein said cellulosic material is white hard core material.

15

20

25

30

35

40

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A01N 65/00	A3	(11) International Publication Number: WO 97/35470 (43) International Publication Date: 2 October 1997 (02.10.97)
(21) International Application Number: PCT/GB97/00800 (22) International Filing Date: 21 March 1997 (21.03.97) (30) Priority Data: 9606483.7 27 March 1996 (27.03.96) GB (71) Applicant (for all designated States except US): DELMAR PRODUCTS LTD. [GB/GB]; 41 Trinity Road, Southend-on-Sea, Essex SS2 4HL (GB). (72) Inventor; and (75) Inventor/Applicant (for US only): HENSHAW, Joseph, Howard [US/GB]; 41 Trinity Road, Southend-on-Sea, Essex SS2 4HL (GB). (74) Agent: DOBLE, Richard, G., V.; 212 Radnor House, 93-97 Regent Street, London W1R 7TD (GB).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i> (88) Date of publication of the international search report: 30 October 1997 (30.10.97)
(54) Title: RODENTICIDE		
(57) Abstract		
<p>The invention provides a rodenticide comprising cellulosic material which is non-toxic to humans but which causes rodents to excrete body fat and/or adipose tissue. Suitable material is obtainable from the core of the cob of maize hybrid DK 446, a hybrid characterised by normally growing to a height of 2.7 to 3.3 metres (9 to 11 feet) and by normally having a single giant ear of corn. The cellulosic material is mixed with a bait attractant such as sugar beet or unrefined molasses and formed into pellets. The rodenticide is non-toxic when fed at controlled dosage levels (e.g. up to 15 g/kg per day) but toxic when the rats are allowed free access. Maize hybrids DK 401, DK 442, DK 512, DK 560, DK 588, DK 591, DK 604, DK 628, DK 634 and DK 512wx may also be used instead of hybrid DK 446.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GB 97/00800

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 A01N65/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	WO 97 02743 A (J.E.CHUHRAN) 30 January 1997 see the whole document ---	1-13
P,X	WO 97 02741 A (J.E.CHUHRAN) 30 January 1997 see the whole document ---	1-13
X	US 4 815 923 A (R.W.LUSH) 28 March 1989 see the whole document ---	1-13
X	GB 2 268 519 A (THE ANDERSONS) 12 January 1994 see page 1 - page 4, paragraph 3; claims ---	1-8
A	WO 96 03037 A (ZENECA LIMITED) 8 February 1996 see the whole document ---	1-13
-/-		

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

5 September 1997

Date of mailing of the international search report

15 -09- 1997

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+ 31-70) 340-3016

Authorized officer

Muellners, W

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GB 97/00800

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	GB 516 703 A (FREYBERG) 1940 see the whole document -----	1-13

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 97/00800

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9702743 A	30-01-97	AU 4291996 A	10-02-97
		AU 6450596 A	10-02-97
		WO 9702741 A	30-01-97
WO 9702741 A	30-01-97	AU 4291996 A	10-02-97
		AU 6450596 A	10-02-97
		WO 9702743 A	30-01-97
US 4815923 A	28-03-89	CA 1327160 A	22-02-94
GB 2268519 A	12-01-94	US 5207389 A	04-05-93
		CA 2099844 A	07-01-94
		DE 4322376 A	13-01-94
		FR 2694759 A	18-02-94
WO 9603037 A	08-02-96	AU 2894495 A	22-02-96
		EP 0772391 A	14-05-97
		PL 318358 A	09-06-97
GB 516703 A		NONE	

THIS PAGE BLANK (USPTO)